


6 x 19 + FC



Minimum breaking force factor: 0.307
 Nominal rope length mass factor: 0.346

Nominal Diameter	Weight 100m	Minimum Breaking Load 1,960 N/mm ²	
		kN	kg
3	3.11	5.42	550
4	5.54	9.63	980
5	8.65	15.00	5,530
6	12.50	21.70	2,210
7	17.00	29.50	3,010
8	22.10	38.50	3,930
9	28.00	48.70	4,970
10	34.60	60.20	6,140
11	41.90	72.80	7,430
12	49.80	86.70	8,840
13	58.50	101.70	10,400
14	67.80	118.00	12,000
16	88.60	154.00	15,700
18	112.00	195.00	19,900
20	138.00	241.00	24,500
22	168.00	291.00	29,700
24	199.00	347.00	35,300
26	234.00	407.00	41,500
28	271.00	472.00	48,100
32	354.00	616.00	62,800
36	448.00	780.00	79,500
40	554.00	963.00	98,200